

## Lepidoptera (moths)

The code no, scientific and common names follow *Checklist of Lepidoptera Recorded from the British Isles*, JD Bradley (2000).  
 Larval food plants are those recorded in Fife unless enclosed in square brackets.  
 Update/Revision History - Revised by Gordon Corbet, February 2006.  
 Additions by Duncan Davidson April 2006.  
 Historical records added by Duncan Davidson, and full list reviewed by Keith Bland, December 2008  
 Review and some additions by Gordon Corbet and Duncan Davidson May and September 2009.

Code No	Scientific Name	Common Name	Comments
<b>Micropterigidae</b>			
<b>Small day-flying moths that feed on pollen.</b>			
3	<i>Micropterix aureatella</i>		Widespread.
4	<i>Micropterix aruncella</i>		Widespread.
5	<i>Micropterix calthella</i>		One possible old record. More recently at Kinghorn 2008.
<b>Eriocraniidae</b>			
<b>Small moths with leaf-mining larvae, mostly associated with birch.</b>			
6	<i>Eriocrania subpurpurella</i>		Widespread around oak.
9	<i>Eriocrania sparmannella</i>		Widespread around birch.
10	<i>Eriocrania salopiella</i>		Widespread around birch.
11	<i>Eriocrania haworthi</i>		Widespread around birch.
12	<i>Eriocrania sangii</i>		Widespread around birch.
13	<i>Eriocrania semipurpurella</i>		Earlshall Muir. Larvae on birch.
<b>Hepialidae - swift moths</b>			
<b>Larvae feed on roots.</b>			
14	<i>Hepialus humuli</i>	Ghost Moth	Widespread on rough ground.
15	<i>Hepialus sylvina</i>	Orange Swift	Local in open woodland.
16	<i>Hepialus hecta</i>	Gold Swift	Torry Bay, 2001
17	<i>Hepialus lupulinus</i>	Common Swift	Common.
18	<i>Hepialus fusconebulosa</i>	Map-winged Swift	Widespread in open woodland.
<b>Nepticulidae - pygmy moths</b>			
<b>Very small moths (wingspan under 7 mm), most with leaf-mining larvae.</b>			
23	<i>Ectoedemia argyropeza</i>		Very local, larvae in leaves of aspen.
34	<i>Ectoedemia occultella</i>		Widespread, larvae in leaves of birch.
35	<i>Ectoedemia minimella</i>		Widespread, larvae in leaves of birch.
37	<i>Ectoedemia albifasciella</i>		Local, larvae in leaves of oak.
40	<i>Bohemannia pulverosella</i>		Local, larvae in leaves of crabapple.
42	<i>Ectoedemia septembrella</i>		Local, larvae in leaves of <i>Hypericum</i> . Previously recorded as <i>Fomoria septembrella</i> .
45	<i>Trifurcula subnitidella</i>		Tentsmuir, 1970 (recorded as <i>T.griseella</i> ).
46	<i>Trifurcula immundella</i>		Common wherever there is broom.
50	<i>Stigmella aurella</i>		Common, larvae in leaves of bramble and Geum.
53	<i>Stigmella splendidissimella</i>		Torry Bay reserve, 2001, Kinghorn.
55	<i>Stigmella aeneofasciella</i>		Very local, larvae in leaves of Agrimonia.
59	<i>Stigmella poteri</i>		Local, larvae in leaves of <i>Potentilla erecta</i> .
63	<i>Stigmella marginicollella</i>		Local, larvae in leaves of elm.
66	<i>Stigmella sorbi</i>		Common, larvae in leaves of rowan.
67	<i>Stigmella plagiolella</i>		Local, larvae in leaves of blackthorn.
68	<i>Stigmella salicis</i>		Common, larvae in leaves of willow.
72	<i>Stigmella myrtilella</i>		Local, larvae in leaves of blaeberry.
73	<i>Stigmella trimaculella</i>		Local, larvae in leaves of poplar.
75	<i>Stigmella floslactella</i>		Local, larvae in leaves of hazel.
77	<i>Stigmella tityrella</i>		Common, larvae in leaves of beech.
81	<i>Stigmella hemargyrella</i>		Common, larvae in leaves of beech.
82	<i>Stigmella paradoxa</i>		Local, larvae in leaves of hawthorn.
84	<i>Stigmella ruficapitella</i>		Local, around oak.
92	<i>Stigmella anomalella</i>		Widespread, larvae in leaves of rose.
94	<i>Stigmella spinosissimae</i>		Vacated mine, Kinraig Point, 2003
99	<i>Stigmella hybnerella</i>		Common, larvae in leaves of hawthorn.
100	<i>Stigmella oxyacanthella</i>		Widespread, larvae in leaves of hawthorn.
103	<i>Stigmella nylandriella</i>		Local, larvae in leaves of rowan.
104	<i>Stigmella magdalenae</i>		Local, larvae in leaves of rowan.
108	<i>Stigmella crataegella</i>		Local, larvae in leaves of hawthorn.
111	<i>Stigmella microtheriella</i>		Local, larvae in leaves of hazel.
112	<i>Stigmella luteella</i>		Widespread, larvae in leaves of birch.
115	<i>Stigmella alnetella</i>		Widespread, larvae in leaves of alder.
116	<i>Stigmella lapponica</i>		Widespread, larvae in leaves of birch.
117	<i>Stigmella confusella</i>		Widespread, larvae in leaves of birch.
<b>Incurvariidae</b>			
<b>Small day-flying moths, many with larvae starting as leaf-miners.</b>			
128	<i>Phylloporia bistrigella</i>		Widespread, larvae in leaves of birch.
129	<i>Incurvaria pectinea</i>		Widespread, larvae under birch.
130	<i>Incurvaria mascullella</i>		Lomonds, Star Moss, Tarvit.
135	<i>Lampronia luzella</i>		Very local.
136	<i>Lampronia rubiella</i>		Widespread, larvae in raspberry shoots.
137	<i>Lampronia morosa</i>		Local, larvae in rose shoots.
138	<i>Lampronia fuscatella</i>		Moss Morran, larvae form galls on birch.
141	<i>Nematopogon schwarziellus</i>		Quite widespread.
145	<i>Nemophora minimella</i>		Craigencat Crags, 2005
150	<i>Adela reaumurella</i>		Widespread around oak.
152	<i>Adela rufimitrella</i>		Local, larvae in seed-pods of Cardamine.
153	<i>Adela fibulella</i>		Widespread, larvae on <i>Veronica chamaedrys</i> .
<b>Heliozelidae</b>			
<b>Very small day-flying moths.</b>			
154	<i>Heliozela sericiella</i>		Local, larvae in leaves of oak.
156	<i>Heliozela respindelella</i>		Widespread, larvae in leaves of alder.
157	<i>Heliozela hammoniella</i>		Widespread, larvae in leaves of birch.
<b>Zygaenidae - burnet moths</b>			
169	<i>Zygaena filipendulae</i>	Six-spot Burnet	Widespread on coast, larvae on Lotus.
<b>Psychidae</b>			
<b>Small moths with wingless females and larvae - 'bag-worms' - living in portable cases.</b>			
179	<i>Dahlica lichenella</i>		Widespread, larval cases on tree trunks.
<b>Tineidae</b>			
<b>Small moths with larvae feeding on dry material in birds' nests etc.</b>			
216	<i>Nemapogon cloacella</i>	Cork Moth	Local.
225	<i>Triaxomera fulvimitrella</i>		Guardbridge
227	<i>Monopis laevigella</i>	Skin Moth	Widespread, larvae in birds' nests.
228	<i>Monopis weaverella</i>		Earlshall.
236	<i>Tinea bisselliella</i>	Common Clothes Moth	Uncommon.
240	<i>Tinea pellionella</i>	Case-bearing Clothes Moth	Local.
245	<i>Tinea pallescens</i>	Large Pale Clothes Moth	Local.
246	<i>Tinea semifulvella</i>		Local.
247	<i>Tinea trinotella</i>		Local, larvae in birds' nests.

<b>Ochsenheimeriidae</b>			
252	<i>Ochsenheimeria urella</i>	Cereal Stem Moth	Local in old pastures.
<b>Lyonetiidae</b>			
<b>Small moths with leaf-mining larvae.</b>			
254	<i>Leucoptera laburnella</i>		Widespread, larvae in leaves of laburnum.
256	<i>Leucoptera spartifoliella</i>		Common, larvae in stems of broom.
263	<i>Lyonetia clerkei</i>		Common in urban areas, larvae in leaves of various trees.
265	<i>Bucculatrix cristatella</i>		Local, larvae on Achillea.
266	<i>Bucculatrix nigrocomella</i>		Widespread, larvae on <i>Leucanthemum vulgare</i> .
267	<i>Bucculatrix maritima</i>		Only at Fife Ness, larvae on <i>Aster tripolium</i> .
276	<i>Bucculatrix demaryella</i>		Tentsmuir, larvae on birch. Ladybank.
<b>Gracillariidae</b>			
<b>Small, narrow-winged moths with leaf-mining larvae.</b>			
282	<i>Caloptilia elongella</i>		Widespread, larvae on alder.
283	<i>Caloptilia betulicola</i>		Lomonds.
284	<i>Caloptilia rufipennella</i>		Common, larvae on sycamore.
286	<i>Caloptilia alchimiella</i>		Widespread, larvae on oak.
288	<i>Caloptilia stigmatella</i>		Torry Bay.
293	<i>Caloptilia syringella</i>		Common, larvae on privet and ash.
294	<i>Aspiapteryx tringipennella</i>		Common, larvae in leaves of <i>Plantago lanceolata</i> .
297	<i>Eucalyptus auroguttella</i>		Local, larvae on <i>Hypericum</i> . Previously recorded as <i>Calybites auroguttella</i> .
301	<i>Parornix betulae</i>		Local, larvae on birch.
303	<i>Parornix anglicella</i>		Common, larvae on hawthorn.
305	<i>Parornix scoticella</i>		Widespread, larvae on rowan.
309	<i>Deltaornix torquillella</i>		Local, larvae on blackthorn.
315	<i>Phyllonorycter harrisella</i>		Cullaloe, larvae in leaves of oak.
320	<i>Phyllonorycter quercifoliella</i>		Common, larvae in leaves of oak.
323	<i>Phyllonorycter oxyacanthae</i>		Common, larvae in leaves of hawthorn.
324	<i>Phyllonorycter sorbi</i>		Common, larvae in leaves of rowan.
326	<i>Phyllonorycter blancarcella</i>		Local, larvae in leaves of apple.
329	<i>Phyllonorycter spiricoella</i>		Local, larvae in leaves of blackthorn.
332	<i>Phyllonorycter corylifoliella</i>		Local, larvae in leaves of birch.
332a	<i>Phyllonorycter leucographella</i>		Newburn; larvae mine leaves of <i>Pyracantha</i> ; a recent colonist in Scotland.
333	<i>Phyllonorycter salicella viminiella</i>		Local, larvae in leaves of willow. Previously recorded as <i>P. viminiella</i> .
337	<i>Phyllonorycter hilarella</i>		Common, larvae in leaves of willow.
340	<i>Phyllonorycter scopariella</i>		Local.
341	<i>Phyllonorycter maestingella</i>		Common, larvae in leaves of beech.
342	<i>Phyllonorycter coryli</i>		Local, larvae in leaves of hazel.
344	<i>Phyllonorycter strigulatella</i>		Moss Morran 2004.
345	<i>Phyllonorycter rajella</i>		Widespread, larvae in leaves of alder.
348	<i>Phyllonorycter quinqueguttella</i>		Local, larvae in leaves of <i>Salix repens</i> on coast.
353	<i>Phyllonorycter ulmifoliella</i>		Common, larvae in leaves of birch.
354	<i>Phyllonorycter emberizaepenella</i>		Local, larvae in leaves of honeysuckle.
358	<i>Phyllonorycter froelichiella</i>		Widespread, larvae in leaves of alder.
359	<i>Phyllonorycter nicellii</i>		Local, larvae in leaves of hazel.
364	<i>Phyllonorycter geniculata</i>		Local, larvae in leaves of sycamore.
<b>Sesiidae - clearwing moths</b>			
371	<i>Sesia bembeciformis</i>	Lunar Hornet Moth	Widespread, larvae in trunks of willows.
<b>Choreutidae</b>			
385	<i>Anthophila fabriciana</i>	Nettle-tap Moth	Very common wherever there are nettles.
<b>Glyphipterigidae</b>			
391	<i>Glyphipterix simplicella</i>		Common wherever there is cock's-foot grass.
397	<i>Glyphipterix thrasonella</i>		Local amongst rushes.
<b>Yponomeutidae</b>			
<b>Small and medium moths.</b>			
401	<i>Argyresthia laevigatella</i>		Local, larvae on larch.
409a	<i>Argyresthia trifasciata</i>		Dunfermline, on Cypress.
410	<i>Argyresthia brockeella</i>		Local, around birch and alder.
411	<i>Argyresthia goedartella</i>		Common around birches and alders.
412	<i>Argyresthia pygmaeella</i>		Wemyss Moss Wood.
414	<i>Argyresthia curvella</i>		Local.
415	<i>Argyresthia retinella</i>		Local.
418	<i>Argyresthia conjugella</i>		Local, larvae in rowan berries.
420	<i>Argyresthia pruniella</i>		Kinghorn 2008.
421	<i>Argyresthia bonnetella</i>		Widespread.
422	<i>Argyresthia albistria</i>		Local, larvae on blackthorn and spindle.
423	<i>Argyresthia semitestacella</i>		Old record at Falkland.
424	<i>Yponomeuta evonymella</i>	Birdcherry Ermine	Local, larvae on gean.
425	<i>Yponomeuta padella</i>		Widespread, larvae on hawthorn.
427	<i>Yponomeuta cagnagella</i>	Spindle Ermine	Larvae on Spindle, Balchrystie, 2004; St Andrews Botanics 2008
435	<i>Zelleria hepariella</i>		Flisk Wood.
437	<i>Swammerdamia caesiella</i>		Widespread, larvae on birch.
438	<i>Swammerdamia pyrella</i>		Local, larvae on hawthorn.
441	<i>Paraswammerdamia lutarea</i>		Local, larvae on hawthorn.
442	<i>Cedestis gysseleniella</i>		Local, larvae on Scots pine.
443	<i>Cedestis subfasciella</i>		Local, larvae on Scots pine.
444	<i>Ocnerostoma piniariella</i>		Local, larvae on Scots pine.
448	<i>Atemelia torquatella</i>		Local, larvae on birch.
452	<i>Ypsolopha nemorella</i>		Flisk Wood.
453	<i>Ypsolopha dentella</i>		Local, larvae on honeysuckle.
460	<i>Ypsolopha parenthesella</i>		Widespread in woods.
461	<i>Ypsolopha ustella</i>		Widespread, around oak.
462	<i>Ypsolopha sequella</i>		Flisk Wood, Dunfermline and Auchtertool
463	<i>Ypsolopha vittella</i>		Widespread, larvae on elm.
464	<i>Plutella xylostella</i>	Diamond-back Moth	Common, especially on coast.
465	<i>Plutella porrectella</i>		Dunfermline
467	<i>Rhigognostis annulatella</i>		Local on coast, larvae on <i>Cochlearia</i> .
<b>Epermeniidae</b>			
478	<i>Phaulermis fulvigitella</i>		Local, larvae in seeds of <i>Heracleum</i> .
483	<i>Epermenia chaerophyllella</i>		Widespread, larvae on leaves of <i>Heracleum</i> .
<b>Coleophoridae</b>			
<b>Small, narrow-winged moths; larvae make portable cases of silk and leaf-fragments.</b>			
491	<i>Coleophora gryphipennella</i>		Widespread, larval cases on rose.
493	<i>Coleophora serratella</i>		Widespread, larval cases on birch.
494	<i>Coleophora coracipennella</i>		Single old record.
510	<i>Coleophora juncicolella</i>		Local, larval cases on heather.
511	<i>Coleophora orbitella</i>		Inzievar Wood, larval cases on birch.
515	<i>Coleophora albitarsella</i>		Aberdour, larval cases on marjoram.
518	<i>Coleophora mayrella</i>		Dumbarnie Links, Torry Bay.
524	<i>Coleophora lithargyrinella</i>		Kinghorn and Kincaid, larval cases on <i>Stellaria</i> .
526	<i>Coleophora laricella</i>		Local, larval cases on larch.
530	<i>Coleophora lixella</i>		Local, larval cases on <i>Thymus</i> and then grass.
541	<i>Coleophora pyrthulipennella</i>		Local, larval cases on heather.
544	<i>Coleophora albicosta</i>		Common, larvae in gorse flowers.

547	<i>Coleophora discordella</i>	Widespread, larval cases on <i>Lotus</i> .
553	<i>Coleophora striatipennella</i>	Local, larval cases in <i>Cerastium</i> seed capsules.
556	<i>Coleophora trochilella</i>	Kinraig Point, larval cases on <i>Achillea millefolium</i> .
560	<i>Coleophora paripennella</i>	Widespread on coast, larval cases on <i>Centaurea</i> .
563	<i>Coleophora argentula</i>	Local on coast, larval cases on flowerheads of <i>Achillea</i> .
564	<i>Coleophora obscenella</i>	Local on coast, larval cases on <i>Solidago</i> seeds; (including <i>C. virgaureae</i> .)
565	<i>Coleophora saxicolella</i>	Local on coast, larval cases on <i>Atriplex</i> seeds.
572	<i>Coleophora vestienella</i>	Records from Tentsmuir in 1953 and 1954
576	<i>[Coleophora artemisiella]</i>	Single old record, probably mistaken as <i>Artemisia maritima</i> , the foodplant (Sea Wormwood <i>Seraphidium maritimum</i> ), is rare in Fife.
578	<i>Coleophora otidipennella</i>	Local, larval cases on <i>Luzula</i> seed-heads; (Previously recorded as <i>C. murinipennella</i> .)
580	<i>Coleophora sylvaticella</i>	Dura Den, larval cases on <i>Luzula sylvatica</i> seeds.
581	<i>Coleophora taeniipennella</i>	Local, larval cases on <i>Juncus</i> seed-heads.
582	<i>Coleophora glaucicolella</i>	Local, larval cases on <i>Juncus</i> seed-heads.
584	<i>Coleophora alticolella</i>	Common, larval cases on <i>Juncus</i> seed-heads.

#### Elachistidae

##### Small moths with larvae forming mines in grasses and similar plants.

593	<i>Elachista regifcella</i>	Dura Den, larvae in leaves of <i>Luzula sylvatica</i> .
594	<i>Elachista gleichenella</i>	Local, larvae in leaves of <i>Luzula sylvatica</i> .
597	<i>Elachista atricomella</i>	Widespread,
599	<i>Elachista alpinella</i>	Local.
600	<i>Elachista luticomella</i>	Widespread, larvae in leaves of <i>Dactylis glomerata</i> .
601	<i>Elachista albifrontella</i>	Local.
602	<i>Elachista apicipunctella</i>	Widespread in open grassland.
606	<i>Elachista humilis</i>	Local.
607	<i>Elachista canapennella</i>	Earlshall Muir.
608	<i>Elachista rufocinerea</i>	Local.
609	<i>Elachista monosemiella</i>	Local, larvae in leaves of <i>Phalaris</i> .
610	<i>Elachista argentella</i>	Common, especially on coastal grasslands.
611	<i>Elachista triatomea</i>	Local.
621	<i>Elachista subalbidella</i>	Local.
623	<i>Elachista bisulcella</i>	Local.
624	<i>Biselachista trapeziella</i>	Local, larvae in leaves of <i>Luzula sylvatica</i> .
631	<i>Cosmiotes freyerella</i>	Local.

#### Oecophoridae

##### A diverse family of small moths.

635	<i>Denisia subaquila</i>	Craigmead (Lomonds). Previously recorded as <i>Schiffermuelleria subaquila</i>
644	<i>Borkhausenia fuscescens</i>	Local.
647	<i>Hofmannophila pseudospretella</i>	Brown House-moth Common.
648	<i>Endrosis sarcitrella</i>	White-shouldered House-moth Common.
649	<i>Esperia sulphurella</i>	Widespread, larvae in dead wood.
654	<i>Pleurota bicostella</i>	Local, on heathland.
658	<i>Carcina quercana</i>	St Andrews
663	<i>Diurnea fagella</i>	Common, adults on tree-trunks in spring, larvae in leaves of <i>Dactylis glomerata</i> .
666	<i>Semioscopis avellanella</i>	Single old record.
670	<i>Depressaria daucella</i>	Widespread on coast, larvae on <i>Oenanthe</i> .
672	<i>Depressaria pastinacella</i>	Very common, larvae on <i>Heracleum</i> .
674	<i>Depressaria badiella</i>	Local.
676	<i>Depressaria pulcherrimella</i>	Local.
688	<i>Agonopterix heracliana</i>	Very common, larvae on <i>Heracleum</i> .
692	<i>Agonopterix subpropinquella</i>	Local.
695	<i>Agonopterix alstromeriana</i>	Local.
697	<i>Agonopterix arenella</i>	Widespread, larvae on <i>Centaurea</i> .
698	<i>Agonopterix kaekeritziana</i>	Widespread, larvae on <i>Centaurea</i> .
701	<i>Agonopterix ocellana</i>	Torry Bay, Tentsmuir and Dunfermline
702	<i>Agonopterix assimilella</i>	Common, larvae on broom.
704	<i>Agonopterix scopariella</i>	Local.
705	<i>Agonopterix ulicetella</i>	Apparently local although larvae on gorse.
706	<i>Agonopterix nervosa</i>	Widespread, larvae on gorse.
709	<i>Agonopterix liturella</i>	Pettycur.
709	<i>Agonopterix liturosa</i>	Local, larvae on <i>Hypericum</i> .
710	<i>Agonopterix conterminella</i>	Torry Bay.
713	<i>Agonopterix angelicella</i>	Local.

#### Gelechiidae

##### Small moths, larvae mostly in spun-together leaves or shoots.

724	<i>Metzneria lappella</i>	Single old record at Pettycur.
726	<i>Metzneria metzneriella</i>	Widespread, larvae in seed-heads of <i>Centaurea</i> .
731a	<i>Eulamprotes immaculatella</i>	Torry Bay.
733	<i>Eulamprotes wilkella</i>	Tentsmuir.
735	<i>Monochroa tenebrella</i>	Local.
747	<i>Chrysoesthia sexguttella</i>	Widespread, larvae in leaves of <i>Atriplex</i> .
770	<i>Carpatolechia proximella</i>	Local, larvae on birch. Previously recorded as <i>Teleiodes proximella</i> .
775	<i>Teleiodes sequax</i>	Aberdour, Kinraig; larvae on <i>Helianthemum</i> .
776	<i>Teleiopsis diffinis</i>	Local.
778	<i>Bryotropha umbrosella</i>	Tentsmuir.
779	<i>Bryotropha affinis</i>	Old records at Pettycur, probably in error.
780	<i>Bryotropha similis</i>	Inverkeithing.
781	<i>Bryotropha mundella</i>	Tentsmuir, Pettycur.
782	<i>Bryotropha senectella</i>	Local.
786	<i>Bryotropha desertella</i>	Local.
787	<i>Bryotropha terrella</i>	Common in grassland.
788	<i>Bryotropha politella</i>	Wether Hill.
789	<i>Bryotropha domestica</i>	Guardbridge, Anstruther and St Andrews
790	<i>Chionodes fumatella</i>	Tentsmuir.
791	<i>Chionodes distinctella</i>	Tentsmuir.
792	<i>Mirificarma mulinella</i>	Common, around gorse.
797	<i>Neofaculta ericetella</i>	Widespread wherever there is heather.
811	<i>Scrobipalpa samadensis</i>	Local on coast.
815	<i>Scrobipalpa nitentella</i>	Torry Bay.
819	<i>Scrobipalpa costella</i>	Torry Bay, [larvae on <i>Solanum dulcamara</i> ].
822	<i>Scrobipalpa acuminatella</i>	Dumbarrie Links; larvae mining leaves of thistles.
826	<i>Caryocolum vicinella</i>	Isle of May, Pettycur, larvae on <i>Silene maritima</i> .
829	<i>Caryocolum marmoreum</i>	Local.
843	<i>Aproaerema anthyllidella</i>	Torry Bay.
845	<i>Syncopacma sangiella</i>	Local on the coast, larvae on <i>Lotus</i> .
855	<i>Acompsia cinerella</i>	Earlshall, Dumbarrie Links 2009.
858	<i>Hypatima rhomboidella</i>	Widespread, larvae on birch.

#### Blastobasidae

873	<i>Blastobasis adustella</i>	Widespread, recent colonizer. Previously recorded as <i>B. lignea</i>
874	<i>Blastobasis lacticolella</i>	Common, recent colonizer. Previously recorded as <i>B. decolorella</i>

#### Momphidae

##### Small moths, mostly associated with willow-herb.

878	<i>Batrachedra praeangusta</i>	Local, larvae in willow catkins.
883	<i>Mompha raschkiella</i>	Very common, larvae in leaves of <i>Chamerion angustifolium</i> .
884	<i>Mompha miscella</i>	Aberdour, larvae in <i>Helianthemum</i> leaves.
885	<i>Mompha conturbatella</i>	Widespread, larvae in shoots of <i>Chamerion angustifolium</i> .
887	<i>Mompha lacteella</i>	Local.
888	<i>Mompha propinquella</i>	Dunfermline
892	<i>Mompha subbistrigella</i>	Torry Bay.

#### Cosmopterigidae

898	<i>Limnaecia phragmitella</i>		Local, larvae in seed-heads of <i>Typha</i> .
899	<i>Pancalia leuwenhoekella</i>		Local.
905	<i>Blastodacna hellerella</i>		Torry Bay.
<b>Scythrididae</b>			
915	<i>Scythris picaepennis</i>		Local on coast.
<b>Tortricidae</b>			
<b>Small to medium moths, larvae often in rolled leaves.</b>			
926	<i>Phalonidia manniana</i>		Morton Lochs, larvae in stems of <i>Mentha</i> .
936	<i>Cochylimorpha straminea</i>		Local.
937	<i>Agapeta hamana</i>		Local.
938	<i>Agapeta zoegana</i>		Local.
945	<i>Aethes cnicana</i>		Local, in grassland.
946	<i>Aethes rubigana</i>		Local, in coastal grassland.
947	<i>Aethes smeathmanniana</i>		Local, in coastal grassland.
954	<i>Eupoecilia angustana</i>		Widespread, especially on heathland.
960	<i>Falseuncaria ruficiliana</i>		Old record near Kinglassie, 1847
964	<i>Cochylis dubitana</i>		Pettycur.
966	<i>Cochylis atricapitana</i>		Local.
968	<i>Cochylis nana</i>		Local, larvae in birch catkins.
970	<i>Pandemis cerasana</i>		Widespread, larvae on trees and shrubs.
972	<i>Pandemis heparana</i>		Widespread, larvae on trees and shrubs.
974	<i>Argyrotaenia ljugiana</i>		Lomonds.
977	<i>Archips podana</i>	Large Fruit Tree Tortrix	Letham
980	<i>Archips xylosteana</i>		Local.
981	<i>Archips rosana</i>		Anstruther.
985	<i>Cacoecimorpha pronubana</i>		Anstruther.
986	<i>Syndemis musculana</i>		Common, larvae polyphagous.
988	<i>Aphelia viburnana</i>		Local, on heathland.
989	<i>Aphelia paleana</i>	Timothy Tortrix	Common, larvae polyphagous.
990	<i>Aphelia unitana</i>		Dumbarrie Links 2009
991	<i>Cleopsis senecionana</i>		Lomonds, Wemyss.
993	<i>Cleopsis spectrana</i>		Torry Bay, Dunfermline, Barryards Marsh 2009.
994	<i>Cleopsis consimilana</i>		Widespread, larvae often on privet.
998	<i>Epiphyas postvittana</i>		Dunfermline, Anstruther and Pettycur.
1002	<i>Lozotaenia forsterana</i>		Local, larvae often on ivy.
1007	<i>Capua vulgana</i>		Local, amongst birch and oak.
1008	<i>Philedone gerningana</i>		Local.
1010	<i>Ditula angustiorana</i>	Red-barred Tortrix	Guardbridge
1011	<i>Pseudargyrotoza conwagana</i>		Local, larvae in ash-keys.
1014	<i>Cnephasia longana</i>		Anstruther, 2007.
1015	<i>Eulia ministrana</i>		Local.
1016	<i>Cnephasia longana</i>		Anstruther, 2007.
1019	<i>Cnephasia conspersana</i>		Quite local on the coast.
1020	<i>Cnephasia stephensiana</i>		Local.
1021	<i>Cnephasia asseclana</i>		Common, larvae on herbs. Previously recorded as <i>C.interjectana</i> .
1024	<i>Cnephasia incertana</i>		Widespread, larvae on herbaceous plants.
1029	<i>Eana osseana</i>		Widespread, on rough grassland inland.
1032	<i>Aleimma loeflingiana</i>		Local around oak.
1033	<i>Tortrix viridana</i>		Local around oak.
1035	<i>Acleris bergmanniana</i>		Local around rose. Previously recorded as <i>Croesia bergmanniana</i> .
1036	<i>Acleris forsskaeana</i>		Torry Bay, Dunfermline
1038	<i>Acleris laterana</i>		Local.
1039	<i>Acleris comariana</i>		Ceres.
1040	<i>Acleris caledoniana</i>		Local in upland areas.
1041	<i>Acleris sparsana</i>		Local, larvae on sycamore.
1042	<i>Acleris rhombana</i>		Widespread.
1043	<i>Acleris aspersana</i>		Local.
1045	<i>Acleris notana</i>		Local amongst birches.
1048	<i>Acleris variegana</i>	Rose Tortrix	Widespread, larvae on rosaceous trees.
1053	<i>Acleris hastiana</i>		Tentsmuir, larvae on willow.
1055	<i>Acleris hyemana</i>		Local.
1061	<i>Acleris literana</i>		Kinghorn.
1062	<i>Acleris emargana</i>		Widespread amongst willows.
1067	<i>Celypha cespitana</i>		Local.
1068	<i>Celypha rivulana</i>		Tentsmuir. Single record from 1971. Recorded as <i>Olethreutes rivulana</i> .
1073	<i>Olethreutes schulziana</i>		Lomond Hills.
1074	<i>Olethreutes palustrana</i>		Local.
1076	<i>Celypha lacunana</i>		Common, larvae on herbaceous plants. Previously recorded as <i>Olethreutes lacunana</i> .
1082	<i>Hedya pruniana</i>		Local, around blackthorn.
1083	<i>Hedya dimidioloba</i>		Widespread, around hawthorn and rose.
1083	<i>Hedya nubiferana</i>	Marbled Orchard Tortrix	Burntisland, Torry Bay, Anstruther.
1087	<i>Orthotaenia undulana</i>		Local, amongst birch.
1091	<i>Apotomis lineana</i>		Earlshall Muir.
1092	<i>Apotomis turbidana</i>		Local, amongst birch.
1093	<i>Apotomis betulelana</i>		Local, amongst birch.
1096	<i>Apotomis sauciana</i>		Craigmead (Lomonds), larvae on blueberry.
1103	<i>Endothenia ericetana</i>		Poorly localised 1852 record.
1104	<i>Endothenia quadrimaculana</i>		Isle of May.
1109	<i>Lobesia littoralis</i>		Widespread on coast, larvae on Armeria.
1110	<i>Bactra furfurana</i>		Earlshall Muir.
1111	<i>Bactra lancealana</i>		Local, in marshes.
1117	<i>Ancylis unguicella</i>		Local, amongst heather.
1119	<i>Ancylis geminana</i>		Tentsmuir.
1119b	<i>Ancylis subarcuana</i>		Tentsmuir, amongst <i>Salix repens</i> .
1126	<i>Ancylis badiana</i>		Widespread, amongst vetches.
1128	<i>Ancylis myrtillana</i>		Local, amongst blueberry.
1132	<i>Epinotia subocellana</i>		Lomond Hills, Torry Bay.
1133	<i>Epinotia bilunana</i>		Earlshall Muir.
1134	<i>Epinotia ramella</i>		Widespread, amongst birch.
1136	<i>Epinotia immundana</i>		Local, amongst birch.
1137	<i>Epinotia tetraquetrana</i>		Widespread, amongst birch.
1138	<i>Epinotia nisella</i>		Local.
1139	<i>Epinotia tenerana</i>		Local, amongst alder.
1142	<i>Epinotia tedella</i>		Local.
1146	<i>Epinotia rubiginosana</i>		Tentsmuir, 1984.
1147	<i>Epinotia cruciana</i>		Local, amongst willows.
1148	<i>Epinotia mercuriana</i>		Lomond Hills.
1150	<i>Epinotia abbreviana</i>		Widespread, amongst elm.
1151	<i>Epinotia stroemiana</i>		Wemyss.
1151	<i>Epinotia trigonella</i>		Local, amongst birch.
1155	<i>Epinotia brunnichana</i>		Flisk Wood.
1156	<i>Epinotia solandriana</i>		Local.
1159	<i>Rhopobota naevana</i>		Local.
1162	<i>Rhopobota myrtillana</i>		Lomond Hills.
1163	<i>Zeiraphera ratzeburgiana</i>		Local, amongst conifers.
1165	<i>Zeiraphera isertana</i>		Local, amongst oak.
1166	<i>Zeiraphera diniana</i>		Local, amongst larch.
1168	<i>Gypsonoma sociana</i>		Dunfermline prior to 1897.
1174	<i>Epiblema cynosbatella</i>		Widespread, amongst rose.
1175	<i>Epiblema uddmanniana</i>	Bramble Shoot Moth	Lochore
1176	<i>Epiblema trimaculana</i>		Dunfermline.
1178	<i>Epiblema roborana</i>		Torry Bay, on rose.
1184	<i>Epiblema scutulana</i>		Widespread amongst thistles.
1184a	<i>Epiblema circiana</i>		Widespread, larvae on thistle and <i>Arctium</i> . [Possibly a form of <i>E.scutulana</i> .]
1186	<i>Epiblema sticticana</i>		Local, amongst <i>Tussilago</i> . Also recorded as <i>E.farfarae</i>
1187	<i>Epiblema costipunctana</i>		Tentsmuir, Torry Bay.
1197	<i>Eucosma campolliana</i>		Local, amongst <i>Senecio</i> .

1200	<i>Eucosma hohenwartiana</i>		Widespread amongst <i>Centaurea</i> .
1201	<i>Eucosma cana</i>		Widespread, amongst thistles.
1202	<i>Eucosma obumbratana</i>		Isle of May.
1216	<i>Enarmonia formosana</i>	Cherry Bark Moth	Larval workings, Balmerino Shore, 2000
1219	<i>Lathronympha strigana</i>		Local, amongst <i>Hypericum</i> .
1234	<i>Pammene regiana</i>		Local, larvae on sycamore.
1241	<i>Grapholita compositella</i>		Kinghorn, and Torry Bay, on clover. Previously recorded as <i>Cydia compositella</i> .
1242	<i>Grapholita internana</i>		Earlshall Muir. Previously recorded as <i>Cydia internana</i> .
1251	<i>Grapholita jungiella</i>		Lomond Hills. Previously recorded as <i>Cydia jungiella</i> .
1255	<i>Cydia succedana</i>		Common amongst gorse.
1268	<i>Cydia coniferana</i>		Tentsmuir.
1272	<i>Pammene aurana</i>		Widespread, amongst <i>Heracleum</i> . Previously recorded as <i>Cydia aurana</i> .
1273	<i>Dichrorampha petiverella</i>		Kincaig Point, 2000; Dumbarrie Links, 2005
1274	<i>Dichrorampha alpinana</i>		Newburn and Dumbarrie Links.
1279	<i>Dichrorampha acuminatana</i>		Single record at Pettycur, 1895.
1280	<i>Dichrorampha consortana</i>		Single old record at N Queensferry.
1283	<i>Dichrorampha montanana</i>		Widespread, amongst <i>Achillea</i> .
1286	<i>Dichrorampha sedatana</i>		Widespread, amongst <i>Tanacetum</i> .
1287	<i>Dichrorampha aetatana</i>		Kinghorn.
<b>Alucitidae</b>			
1288	<i>Alucita hexadactyla</i>		Kirkcaldy, Newburn, Dunfermline, Anstruther; on honeysuckle.
<b>Pyralidae</b>			
<b>Mainly small moths, some with distinctive patterns.</b>			
1290	<i>Chilo phragmitella</i>		Morton Lochs.
1293	<i>Chrysoteuchia culmella</i>		Widespread, in rough grassland.
1294	<i>Crambus pascuella</i>		Anstruther.
1300	<i>Crambus pratella</i>		Local.
1301	<i>Crambus lathonellus</i>		Common in grassland everywhere. Previously recorded as <i>Crambus nemorella</i> .
1302	<i>Crambus petiella</i>		Local on coast.
1303	<i>Agriphila selasella</i>		Tentsmuir.
1304	<i>Agriphila straminella</i>		Common in grassland everywhere.
1305	<i>Agriphila tristella</i>		Common in grassland.
1306	<i>Agriphila inquinatella</i>		Tentsmuir.
1309	<i>Agriphila geniculea</i>		Tentsmuir, Isle of May.
1313	<i>Catoptria pinella</i>		Local, mostly on coast.
1314	<i>Catoptria margaritella</i>		Local.
1316	<i>Catoptria falsella</i>		Bankhead Moss, Newburn, Barnyards Marsh 2007.
1324	<i>Pediasia aridella</i>		Anstruther 2001
1331	<i>Acentria ephemerella</i>		Old records from lochs. Cullaloe 2003, Dumbarrie Links 2009.
1332	<i>Scoparia subfusca</i>		Local.
1333	<i>Scoparia pyralella</i>		Local.
1334	<i>Scoparia ambigua</i>		Common.
1338	<i>Dipleurina lacustrata</i>		Local. Previously recorded as <i>Eudonia lacustrata</i> .
1336	<i>Eudonia pallida</i>		Torry Bay.
1340	<i>Eudonia truncicolella</i>		Tentsmuir.
1342	<i>Eudonia angustea</i>		Widespread, on coast.
1344	<i>Eudonia mercurella</i>		Local.
1345	<i>Elophila nymphaeata</i>		Anstruther.
1345	<i>Nymphula nymphaeata</i>		Local, around static open water.
1350	<i>Nymphula stagnata</i>	Beautiful China-mark	Dunfermline
1351b	<i>Parapoynx crisonalis</i>		Old records from S Fife.
1356	<i>Evergestis forficalis</i>		Local, especially in gardens.
1361	<i>Pyrausta aurata</i>		Cupar 2005, perhaps the only record in Scotland.
1362	[ <i>Pyrausta purpuralis</i> ]		An old record from Falkland ; needs confirmation.
1363	<i>Pyrausta ostrinalis</i>		Local, in short grassland.
1365	<i>Pyrausta despicata</i>		Local. Previously recorded as <i>Pyrausta cespitalis</i>
1368	<i>Loxostege sticticalis</i>		Migrant, several old records. Previously recorded as <i>Margaritia sticticalis</i> .
1376	<i>Eurrhynx hortulata</i>	Small Magpie	Newburn, Torry Bay, Tentsmuir, Anstruther.
1379	<i>Algedonia terrealis</i>		Single old record. More recently from Torry Bay NNR. Previously recorded as <i>Mutuuraia terrealis</i> .
1386	<i>Opsibotys fuscalis</i>		Local.
1388	<i>Udea lutealis</i>		Common, larvae polyphagous on herbs.
1390	<i>Udea prunalis</i>		Widespread.
1392	<i>Udea olivalis</i>		Widespread.
1398	<i>Nomophila noctuella</i>		Isle of May, Tentsmuir, Torry Bay, Anstruther.
1405	<i>Pleuroptera ruralis</i>		Dumbarrie Links, Kirkcaldy, Dunfermline, Anstruther.
1428	<i>Aphomia sociella</i>		Local [larvae in nests of bees and wasps].
1432	<i>Anerastia lotella</i>		Tentsmuir.
1439	<i>Trachycera advenella</i>		Torry Bay, Dunfermline. Previously recorded as <i>Nurmonia advenella</i> and <i>Eurodope advenella</i>
1454	<i>Dioryctria abietella</i>		Tentsmuir, larvae on Scots pine.
1457	<i>Hypochalcia ahenella</i>		Pettycur.
1462	<i>Pempeliella dilutella</i>		Torry Bay.
1473	<i>Ephestia elutella</i>	Cacao Moth	Inverkeithing, [a pest on stored food].
1479	<i>Plodia interpunctella</i>	Indian Meal Moth	Recent record at Dunfermline.
1483	<i>Phycitodes binaevella</i>		Isle of May.
1484	<i>Phycitodes saxicola</i>		Isle of May.
<b>Pterophoridae - plume moths</b>			
<b>Small slender moths with wings divided and fringed.</b>			
1494	<i>Capperia britanniodactyla</i>		Local, larvae on <i>Teucrium</i> .
1497	<i>Amblyptilia acanthadactyla</i>		Local.
1498	<i>Amblyptilia punctidactyla</i>		Local, larvae on <i>Stachys</i> and other herbs.
1501	<i>Platyptilia gonodactyla</i>		Old records Otterston L; Torry Bay, 1999.
1503	<i>Platyptilia ochrodactyla</i>		Newburn, old records Dalgety Bay [larvae in stems of <i>Tanacetum</i> ].
1504	<i>Platyptilia pallidactyla</i>		Earlshall Muir.
1508	<i>Stenoptilia bipunctidactyla</i>		Local.
1509	<i>Stenoptilia pterodactyla</i>		Widespread, larvae on <i>Veronica</i> .
1513	<i>Pterophorus pentadactyla</i>		Newburn.
1524	<i>Emmelina monodactyla</i>		Kinghorn, 2006.
<b>Lasiocampidae</b>			
1631	<i>Poecilocampa populi</i>	December Moth	Local, commonest at Tentsmuir.
1632	<i>Trichiura crataegi</i>	Pale Eggar	Single old record.
1638	<i>Macrothylacia rubi</i>	Fox Moth	Local, often common at Tentsmuir.
<b>Saturnidae</b>			
1643	<i>Saturnia pavonia</i>	Emperor Moth	Local, only in heathy areas.
<b>Drepanidae - hook-tip moths</b>			
1645	<i>Falcaria lacertinaria</i>	Scalloped Hook-tip	Tentsmuir.
1648	<i>Drepana falcata</i>	Pebble Hook-tip	Local.
1651	<i>Cilix glaucata</i>	Chinese Character	Only from near the Tay Bridge.
<b>Thyatiridae</b>			
1652	<i>Thyatira batis</i>	Peach Blossom	Widespread.
1657	<i>Ochropacha duplaris</i>	Common Lutestring	Local.
1659	<i>Achlya flavicornis</i>	Yellow Horned	Widespread.
<b>Geometridae</b>			
<b>Medium to large moths with 'looper' caterpillars (inch-worms).</b>			
1663	<i>Alsophila aescularia</i>	March Moth	Local.
1666	<i>Geometra papilionaria</i>	Large Emerald	Local.

1677	<i>Cyclophora albipunctata</i>	Birch Mocha	Earlshall Muir.
1679	<i>Cyclophora porata</i>	False Mocha	Fliisk, 1831.
1682	<i>Timandra comai</i>	Blood-vein	Tentsmuir. Previously recorded as <i>T. griseata</i> .
1693	<i>Scopula flosclata</i>	Cream Wave	Torry Bay.
1702	<i>Idaea biselata</i>	Small Fan-footed Wave	Widespread.
1707	<i>Idaea seriata</i>	Small Dusty Wave	Torry Bay, Anstruther.
1708	<i>Idaea dimidiata</i>	Single-dotted Wave	Occasional record. Barnyards Marsh 2009, [larvae in Umbels etc]
1713	<i>Idaea aversata</i>	Riband Wave	Widespread.
1716	<i>Rhodometra sacraria</i>	Vestal	Dunfermline
1722	<i>Xanthorhoe designata</i>	Flame Carpet	Local.
1723	<i>Xanthorhoe decoloraria</i>	Red Carpet	Local. Previously recorded as <i>X. munitata</i>
1727	<i>Xanthorhoe montanata</i>	Silver-ground Carpet	Common.
1728	<i>Xanthorhoe fluctuata</i>	Garden Carpet	Surprisingly uncommon.
1732	<i>Scotopteryx chenopodiata</i>	Shaded Broad-bar	Widespread.
1733	<i>Scotopteryx mucronata</i>	Lead Belle	Records from Tentsmuir, Kinghorn and N Queensferry from 1953 - 1966.
1734	<i>Scotopteryx luridata</i>	July Belle	Widespread.
1736	<i>Catarhoe cuculata</i>	Royal Mantle	Rared from larvae, Auchtermuchty, 1854. Single specimen Anstruther 2002.
1737	<i>Epirrhoe tristata</i>	Small Argent and Sable	Local.
1738	<i>Epirrhoe alternata</i>	Common Carpet	Widespread, larvae on <i>Galium</i> .
1742	<i>Campogramma bilineata</i>	Yellow Shell	Widespread, common on the coast.
1744	<i>Entephria caesiata</i>	Grey Mountain Carpet	Lomond Hills.
1746	<i>Anticlea badiata</i>	Shoulder Stripe	Newburn, Torry Bay.
1747	<i>Anticlea derivata</i>	Streamer	Newburn, Dunfermline.
1748	<i>Mesoleuca albicillata</i>	Beautiful Carpet	Morton Lochs.
1749	<i>Pelurga comitata</i>	Dark Spinach	Widespread.
1750	<i>Lampropteryx suffumata</i>	Water Carpet	Local.
1752	<i>Cosmorhoe ocellata</i>	Purple Bar	Local.
1754	<i>Eulithis prunata</i>	Phoenix	Raith L, Newburn, Dunfermline.
1755	<i>Eulithis testata</i>	Chevron	Local.
1756	<i>Eulithis populata</i>	Northern Spinach	Widespread in uplands, larvae on blaeberry.
1757	<i>Eulithis mellinata</i>	Spinach	Torry Bay.
1758	<i>Eulithis pyraliata</i>	Barred Straw	Widespread.
1759	<i>Ecliptopera silaceata</i>	Small Phoenix	Local.
1760	<i>Chloroclysta siterata</i>	Red-green Carpet	Local.
1761	<i>Chloroclysta miata</i>	Autumn Green Carpet	Local, common on Isle of May.
1762	<i>Chloroclysta citrata</i>	Dark Marbled Carpet	Local.
1764	<i>Chloroclysta truncata</i>	Common Marbled Carpet	Widespread.
1765	<i>Cidaria fulvata</i>	Barred Yellow	Local amongst rose.
1766	<i>Plemyria rubiginata</i>	Blue-bordered Carpet	Local.
1767	<i>Thera firmata</i>	Pine Carpet	Local, amongst pine.
1768	<i>Thera obeliscata</i>	Grey Pine Carpet	Widespread amongst pine.
1769	<i>Thera britannica</i>	Spruce Carpet	Isle of May, Dunfermline, Guardbridge.
1770	<i>Thera cognata</i>	Chestnut-coloured Carpet	Fliisk, 1831.
1771	<i>Thera juniperata</i>	Juniper Carpet	Dunfermline.
1773	<i>Electrophaes corylata</i>	Broken-barred Carpet	Widespread in woods.
1775	<i>Colostygia multistrigaria</i>	Mottled Grey	Dumbarrie Links, Earlshall Muir, Dunfermline.
1776	<i>Colostygia pectinataria</i>	Green Carpet	Widespread.
1777	<i>Hydriomena furcata</i>	July Highflyer	Common, larvae on trees and shrubs.
1778	<i>Hydriomena impluviata</i>	May Highflyer	Local, amongst alder.
1795	<i>Epirrita dilutata</i>	November Moth	Widespread.
1796	<i>Epirrita christyi</i>	Pale November Moth	Tentsmuir
1797	<i>Epirrita autumnata</i>	Autumnal Moth	Widespread.
1799	<i>Operophtera brumata</i>	Winter Moth	Common, larvae on fruit trees, blaeberry etc.
1800	<i>Operophtera fagata</i>	Northern Winter Moth	Local, larvae on birch.
1802	<i>Perizoma affinitata</i>	Rivulet	Fliisk, 1831. Anstruther, 2003, Newburn 2009, Barnyards Marsh 2009.
1803	<i>Perizoma alchemillata</i>	Small Rivulet	Local.
1804	<i>Perizoma bifaciata</i>	Barred Rivulet	Fliisk, 1831 and Tayport, 1990.
1805	<i>Perizoma minorata</i>	Heath Rivulet	Falkland area, 1895.
1806	<i>Perizoma blandiata</i>	Pretty Pinion	Local.
1807	<i>Perizoma albulata</i>	Grass Rivulet	Widespread.
1808	<i>Perizoma flavofasciata</i>	Sandy Carpet	Kinghorn, Newburn, Anstruther, Ladybank.
1809	<i>Perizoma didymata</i>	Twin-spot Carpet	Common, larvae on blaeberry and low plants.
1811	<i>Eupithecia tenuiata</i>	Slender Pug	Local, amongst willows.
1817	<i>Eupithecia pulchellata</i>	Foxglove Pug	Local.
1819	<i>Eupithecia exiguata</i>	Mottled Pug	Fliisk, 1831.
1821	<i>Eupithecia valerianata</i>	Valerian Pug	Tentsmuir.
1822	<i>Eupithecia pygmaeata</i>	Marsh Pug	Local.
1823	<i>Eupithecia venosata</i>	Netted Pug	Isle of May.
1825	<i>Eupithecia Centaureata</i>	Lime-speck Pug	Widespread, larvae on <i>Atriplex</i> .
1826	<i>Eupithecia trisignaria</i>	Triple-spotted Pug	Tentsmuir.
1828	<i>Eupithecia satyrata</i>	Satyr Pug	Local on heathland.
1830	<i>Eupithecia absinthiata</i>	Wormwood Pug	Widespread (including form <i>goossensata</i> (Ling pug) locally on moors).
1832	<i>Eupithecia assimilata</i>	Current Pug	Local.
1834	<i>Eupithecia vulgata</i>	Common Pug	Local.
1835	<i>Eupithecia tripunctaria</i>	White-spotted Pug	Tentsmuir, Dunfermline, Anstruther
1837	<i>Eupithecia subfuscata</i>	Grey Pug	Widespread.
1838	<i>Eupithecia icterata</i>	Tawny Speckled Pug	Local, larvae on <i>Artemisia</i> .
1839	<i>Eupithecia succenturiata</i>	Bordered Pug	Anstruther, Barnyards Marsh 2009, [larvae on mugwort].
1844	<i>Eupithecia indigata</i>	Ochreous Pug	Lochgelly.
1846	<i>Eupithecia nanata</i>	Narrow-winged Pug	Local in heathy areas.
1851	<i>Eupithecia virgaureata</i>	Golden-rod Pug	Bankhead Moss.
1852	<i>Eupithecia abbreviata</i>	Brindled Pug	Local.
1854	<i>Eupithecia pusillata</i>	Juniper Pug	Local.
1857	<i>Eupithecia tantillaria</i>	Dwarf Pug	Fliisk Wood.
1858	<i>Chloroclystis v-ata</i>	V-Pug	Torry Bay, Dunfermline.
1860	<i>Pasiphila rectangularata</i>	Green Pug	Earlshall Muir, Torry Bay, Anstruther.
1862	<i>Gymnoscelis rufifasciata</i>	Double-striped Pug	Bankhead Moss, Torry Bay, Wemyss, Dunfermline.
1864	<i>Chesias legatella</i>	Streak	Tentsmuir, Torry Bay, Dunfermline, Ladybank, Guardbridge amongst broom.
1865	<i>Chesias rufata</i>	Broom-tip	Amongst broom at Tentsmuir, Ladybank.
1867	<i>Aplocera plagiata</i>	Treble-bar	Widespread.
1870	<i>Odezia atrata</i>	Chimney Sweeper	Local.
1873	<i>Venusia cambrica</i>	Welsh Wave	Local.
1874	<i>Euchoeca nebulata</i>	Dingy Shell	West Fife 2008.
1876	<i>Hydrelia flammeolaria</i>	Small Yellow Wave	Old record at Fliisk.
1879	<i>Lobophora halterata</i>	Seraphim	Single record Dunfermline, 2007.
1881	<i>Trichopteryx carpinata</i>	Early Tooth-striped	Local.
1884	<i>Abraxas grossulariata</i>	Maggie	Local.
1885	<i>Abraxas sylvata</i>	Clouded Maggie	Cullaloe, 1982.
1887	<i>Lomaspiilis marginata</i>	Clouded Border	Widespread amongst willows.
1893	<i>Macaria liturata</i>	Tawny-barred Angle	Devilla, Tentsmuir, Dunfermline, Ladybank.
1894	<i>Chiasmia clathrata</i>	Latticed Heath	Local.
1897	<i>Macaria wauaria</i>	V-Moth	Tentsmuir and Isle of May.
1902	<i>Petrophora chlorosata</i>	Brown Silver-line	Local, amongst bracken.
1904	<i>Plagodis dolabraria</i>	Scorched Wing	Fliisk Wood.
1906	<i>Opisthograptis luteolata</i>	Brimstone Moth	Widespread.
1909	<i>Pseudopanthera macularia</i>	Speckled Yellow	Benarty Hill
1913	<i>Ennomos alniaria</i>	Canary-shouldered Thorn	Tentsmuir, Torry Bay, Dunfermline, Pittenweem.
1917	<i>Selenia dentaria</i>	Early Thorn	Local.
1918	<i>Selenia lunularia</i>	Lunar Thorn	Tentsmuir, Torry Bay, Dunfermline.
1919	<i>Selenia tetralunaria</i>	Purple Thorn	Auchtermuchty, 1854.
1920	<i>Odontopera bidentata</i>	Scalloped Hazel	Local.
1921	<i>Crocallis elinguaris</i>	Scalloped Oak	Widespread.
1922	<i>Ourapteryx sambucaria</i>	Swallow-tailed Moth	Local.
1923	<i>Colotois pennaria</i>	Feathered Thorn	Torry Bay, Dunfermline, Guardbridge.
1926	<i>Apocheima pilosaria</i>	Pale Brindled Beauty	Torry Bay & Dunfermline. Previously recorded as <i>Phiqalia pilosaria</i> .
1931	<i>Biston betularia</i>	Peppered Moth	Local.
1933	<i>Agriopsis aurantaria</i>	Scarce Umber	Local, larvae on birch and willow.
1934	<i>Agriopsis marginaria</i>	Dotted Border	Newburn, Wemyss Moss Wood.
1935	<i>Erannis defoliaria</i>	Mottled Umber	Widespread, larvae on birch and fruit trees.
1937	<i>Penbatodes rhomboidaria</i>	Willow Beauty	Widespread.
1940	<i>Deileptenia ribeata</i>	Satin Beauty	Tentsmuir.

1941	<i>Alcis repandata</i>	Mottled Beauty	Widespread, larvae on low plants.
1942	<i>Alcis jubata</i>	Dotted Carpet	Tentsmuir 2009, (larvae on beard lichen)
1947	<i>Ectropis bistortata</i>	Engrailed	Local.
1951	<i>Aethalura punctulata</i>	Grey Birch	Torry Bay.
1952	<i>Ematurga atomaria</i>	Common Heath	Widespread, amongst heather.
1954	<i>Bupalus piniaria</i>	Bordered White	Local, amongst pines.
1955	<i>Cabera pusaria</i>	Common White Wave	Local.
1956	<i>Cabera exanthemata</i>	Common Wave	Local.
1958	<i>Lomographa temerata</i>	Clouded Silver	Local.
1960	<i>Theria primaria</i>	Early Moth	Kennoway Den, Newburn; flies in Jan and Feb so probably under-recorded.
1961	<i>Campaea margaritata</i>	Light Emerald	Local.
1962	<i>Hylaea fasciana</i>	Barred Red	Local.
1963	<i>Gnophos obfuscata</i>	Scotch Annulet	Fife, 1830s.
1964	<i>Charissa obscurata</i>	Annulet	Local on Forth coast.
1969	<i>Dyscia fagaria</i>	Grey Scalloped Bar	Moss Morran.
1970	<i>Perconia strigillaria</i>	Grass Wave	Culross Moor.

**Sphingidae - Hawk-moths**

**Large moths, many migratory.**

1972	<i>Agrius convolvuli</i>	Convolvulus Hawk-moth	Regular immigrant.
1973	<i>Acherontia atropos</i>	Death's-head Hawk-moth	Occasional immigrant that briefly becomes established.
1981	<i>Laothoe populi</i>	Poplar Hawk-moth	Local.
1984	<i>Macroglossum stellatarum</i>	Humming-bird Hawk-moth	Regular immigrant.
1987	<i>Hyles gallii</i>	Bedstraw Hawk-moth	Occasional immigrant bred Tentsmuir 1998.
1991	<i>Deilephila elpenor</i>	Elephant Hawk-moth	Local.
1992	<i>Deilephila porcellus</i>	Small Elephant Hawk-moth	Local.

**Notodontidae**

1994	<i>Phalera bucephala</i>	Buff-tip	Local, larvae on oak.
1995	<i>Cerura vinula</i>	Puss Moth	Local, larvae on willows.
1997	<i>Furcula furcula</i>	Sallow Kitten	Widespread, larvae on willow.
2000	<i>Notodonta dromedarius</i>	Iron Prominent	Local, larvae on alder.
2003	<i>Notodonta ziczac</i>	Pebble Prominent	Local. Previously recorded as <i>Eligmodonta ziczac</i> .
2006	<i>Pheosia gnoma</i>	Lesser Swallow Prominent	Local, larvae on birch.
2007	<i>Pheosia tremula</i>	Swallow Prominent	Isle of May, Wemyss, Dunfermline, Anstruther.
2008	<i>Ptilodon capucina</i>	Coxcomb Prominent	Widespread, larvae on birch.
2009	<i>Ptilodontella cucullina</i>	Maple Prominent	Tentsmuir.
2010	<i>Odontotia carmelita</i>	Scarce Prominent	Wether Hill.
2011	<i>Pterostoma palpina</i>	Pale Prominent	Tayport.
2019	<i>Clostera curtula</i>	Chocolate-tip	'Fife'.
2020	<i>Diloba caeruleocephala</i>	Figure of Eight	Local.

**Lymantriidae**

2026	<i>Orygia antiqua</i>	Vapourer	Local.
2027	<i>Dicalomera fascelina</i>	Dark Tussock	Tentsmuir. Previously recorded as <i>Dasychira fascelina</i> .

**Arctiidae**

2035	<i>Thumatha senex</i>	Round-winged Muslin	Local.
2038	<i>Nudaria mundana</i>	Muslin Footman	Local.
2039	<i>Atolmis rubricollis</i>	Red-necked Footman	Dunfermline
2050	<i>Eilema lurideola</i>	Common Footman	Local.
2056	<i>Parasemia plantaginis</i>	Wood Tiger	Lomonds.
2057	<i>Arctia caja</i>	Garden Tiger	Widespread on coast, larvae on low herbs.
2060	<i>Spilosoma lubricipeda</i>	White Ermine	Widespread.
2061	<i>Spilosoma luteum</i>	Buff Ermine	Local.
2064	<i>Phragmatobia fuliginosa</i>	Ruby Tiger	Lomonds, Tentsmuir, Cullaloe.
2069	<i>Tyria jacobaeae</i>	Cinnabar	Local on coast, larvae on <i>Senecio</i> .

**Nolidae**

**Family of Black Arches; easily mistaken for micro-moths.**

2078	<i>Nola confusalis</i>	Least Black Arches	Falkland Palace, 2008
------	------------------------	--------------------	-----------------------

**Noctuidae**

**The largest family of 'macro-moths'; mostly large and wide-bodied.**

2080	<i>Euxoa obelisca</i>	Square-spot Dart	Only on coast.
2081	<i>Euxoa tritici</i>	White-line Dart	Widespread.
2082	<i>Euxoa nigricans</i>	Garden Dart	Widespread.
2083	<i>Euxoa cursoria</i>	Coast Dart	Dumbarrie Links, Tentsmuir.
2085	<i>Agrotis vestigialis</i>	Archer's Dart	Local in E Fife.
2087	<i>Agrotis segetum</i>	Turnip Moth	Widespread.
2088	<i>Agrotis clavis</i>	Heart and Club	Local.
2089	<i>Agrotis exclamatoris</i>	Heart and Dart	Common.
2091	<i>Agrotis ipsilon</i>	Dark Sword-grass	Local.
2093	<i>Agrotis ripae</i>	Sand Dart	Local on coast.
2098	<i>Axylia putris</i>	Flame	Local.
2099	<i>Actebia praecox</i>	Portland Moth	Tentsmuir.
2102	<i>Ochropleura plecta</i>	Flame Shoulder	Widespread.
2103	<i>Eugnorisma depuncta</i>	Plain Clay	Boarhills.
2104	<i>Standfussiana lucernea</i>	Northern Rustic	Local on rocky coast.
2105	<i>Rhyacia simulans</i>	Dotted Rustic	Local a recent colonist.
2107	<i>Noctua pronuba</i>	Large Yellow Underwing	Common.
2108	<i>Noctua orbona</i>	Lunar Yellow Underwing	Tentsmuir.
2109	<i>Noctua comes</i>	Lesser Yellow Underwing	Common.
2110	<i>Noctua fimbriata</i>	Broad-bordered Yellow Underwing	Local.
2111	<i>Noctua janthe</i>	Lesser Broad-bordered Yellow Underwing	Widespread.
2114	<i>Graphiphora augur</i>	Double Dart	Widespread.
2116	<i>Protolampira sobrina</i>	Cousin German	Once at St Andrews. Previously recorded as <i>Paradiarsia sobrina</i> .
2117	<i>Eugnorisma glareosa</i>	Autumnal Rustic	Widespread. Previously recorded as <i>Paradiarsia glareosa</i> .
2118	<i>Lycophotia porphyrea</i>	True Lover's Knot	Widespread on heather.
2119	<i>Peridroma saucia</i>	Pearly Underwing	Isle of May and Tentsmuir.
2120	<i>Diarsia mendica</i>	Ingrailed Clay	Widespread.
2121	<i>Diarsia dahlii</i>	Barred Chestnut	Local.
2122	<i>Diarsia brunnea</i>	Purple Clay	Local.
2123	<i>Diarsia rubi</i>	Small Square-spot	Local.
2124	<i>Diarsia florida</i>	Fen Square-spot	Earlshall Muir, Torry Bay.
2125	<i>Xestia alpicola</i>	Northern Dart	Isle of May, 1957.
2126	<i>Xestia c-nigrum</i>	Setaceous Hebrew Character	Widespread.
2128	<i>Xestia triangulum</i>	Double Square-spot	Widespread.
2130	<i>Xestia baja</i>	Dotted Clay	Widespread.
2132	<i>Xestia castanea</i>	Neglected Rustic	Local.
2133	<i>Xestia sexstrigata</i>	Six-striped Rustic	Widespread.
2134	<i>Xestia xanthographa</i>	Square-spot Rustic	Common.
2135	<i>Xestia agathina</i>	Heath Rustic	Tentsmuir, Raith L.
2136	<i>Naenia typica</i>	Gothic	Local.
2137	<i>Eurois occulta</i>	Great Brocade	Isle of May.
2138	<i>Anaplectoides prasina</i>	Green Arches	Local.
2139	<i>Cerastis rubricosa</i>	Red Chestnut	Local.
2142	<i>Anarta myrtili</i>	Beautiful Yellow Underwing	Thornton (1895) and Tentsmuir.
2145	<i>Discestra trifolii</i>	Nutmeg	Guardbridge, St. Andrews and Anstruther
2147	<i>Hada plebeja</i>	Shears	Local, most abundant at Tentsmuir.
2148	<i>Polia bombycina</i>	Pale Shining Brown	An old record at Kincardine.
2149	<i>Polia trimaculosa</i>	Silvery Arches	An old record at Tentsmuir, recorded as <i>Polia hepatica</i> .
2150	<i>Polia nebulosa</i>	Grey Arches	Local in W Fife.
2152	<i>Sideridis albicolon</i>	White Colon	Tentsmuir.
2154	<i>Mamestra brassicae</i>	Cabbage Moth	Widespread.

2155	<i>Melanchna persicariae</i>	Dot Moth	Newburn and Isle of May.
2158	<i>Lacanobia thalassina</i>	Pale-shouldered Brocade	Widespread.
2160	<i>Lacanobia oleracea</i>	Bright-line Brown-eye	Local.
2162	<i>Papestra biren</i>	Glaucous Shears	Tentsmuir.
2163	<i>Melanchna pisi</i>	Broom Moth	Widespread. Previously recorded as <i>Ceramica pisi</i> .
2164	<i>Hecatera bicolorata</i>	Broad-barred White	Kinghorn, Anstruther.
2166	<i>Hadena rivularis</i>	Campion	Widespread.
2167	<i>Hadena perplexa</i>	Tawny Shears	Earlsferry, 1901.
2171	<i>Hadena confusa</i>	Marbled Coronet	Along the Forth coast.
2173	<i>Hadena bicruris</i>	Lychnis	Local.
2176	<i>Cerapteryx graminis</i>	Antler Moth	Widespread.
2177	<i>Tholera cespitis</i>	Hedge Rustic	Tentsmuir.
2179	<i>Panolis flammea</i>	Pine Beauty	Dunfermline, Auchtertool
2182	<i>Orthosia cruda</i>	Small Quaker	Dunfermline
2186	<i>Orthosia gracilis</i>	Powdered Quaker	Local.
2187	<i>Orthosia cerasi</i>	Common Quaker	Widespread.
2188	<i>Orthosia incerta</i>	Clouded Drab	Widespread.
2189	<i>Orthosia munda</i>	Twin-spotted Quaker	Local.
2190	<i>Orthosia gothica</i>	Hebrew Character	Widespread.
2192	<i>Mythimna conigera</i>	Brown-line Bright-eye	Widespread.
2193	<i>Mythimna ferrago</i>	Clay	Widespread.
2198	<i>Mythimna impura</i>	Smoky Wainscot	Common.
2199	<i>Mythimna pallens</i>	Common Wainscot	Widespread.
2205	<i>Mythimna comma</i>	Shoulder-striped Wainscot	Local.
2214	<i>Cucullia chamomillae</i>	Chamomile Shark	Balmuto 1871, Inchcolm 2000, Anstruther 2003, Dunfermline 2005; Newburn, Kinghorn, Falkland, Kincaig 2009. Larvae on Mayweed.
2216	<i>Cucullia umbratica</i>	Shark	Isle of May 1913, Anstruther 2000-2002, Balmullo 2009.
2225	<i>Brachyolmia viminalis</i>	Minor Shoulder-knot	Tentsmuir, Torry Bay.
2229	<i>Dasyptera templi</i>	Brindled Ochre	Widespread but uncommon.
2231	<i>Aporophyla lutulenta</i>	Deep-brown Dart	Widespread.
2231a	<i>Aporophyla lueneburgensis</i>	Northern Deep-brown Dart	Dunfermline, Balmullo 2008.
2232	<i>Aporophyla nigra</i>	Black Rustic	Widespread.
2233	<i>Lithomia solidaginis</i>	Golden-rod Brindle	Isle of May.
2240	<i>Lithophane leautieri</i>	Blair's Shoulder-knot	Dunfermline and Auchtertool 2008. Anstruther and Dalgety Bay 2009.
2241	<i>Xylena vetusta</i>	Red Sword-grass	Widespread but uncommon.
2242	<i>Xylena exsoleta</i>	Sword-grass	Old records at Isle of May.
2243	<i>Xylocampa areola</i>	Early Grey	Anstruther, Dunfermline, Newburn.
2245	<i>Allophyes oxyacanthae</i>	Green-brindled Crescent	Widespread, larvae on hawthorn.
2247	<i>Dichonia aprilina</i>	Merville du Jour	Kirkcaldy 2003, Largo 1895. Recent records from Dunfermline and St Andrews.
2250	<i>Blepharita adusta</i>	Dark Brocade	Widespread.
2254	<i>Antitype chi</i>	Grey Chi	Local.
2256	<i>Eupsilia transversa</i>	Satellite	Local.
2258	<i>Conistra vaccinii</i>	Chestnut	Local.
2262	<i>Agrochola circellaris</i>	Brick	Widespread.
2263	<i>Agrochola lota</i>	Red-line Quaker	Widespread.
2264	<i>Agrochola macilenta</i>	Yellow-line Quaker	Local.
2266	<i>Agrochola litura</i>	Brown-spot Pinion	Widespread.
2267	<i>Agrochola lychnidis</i>	Beaded Chestnut	Dumbarrie Links.
2268	<i>Parastichtis suspecta</i>	Suspected	Local.
2269	<i>Aethmia centrigo</i>	Centre-barred Sallow	Newburn.
2270	<i>Omphaloscels lunosa</i>	Lunar Underwing	Local.
2271	<i>Xanthia citrigo</i>	Orange Sallow	Raith L.
2273	<i>Xanthia togata</i>	Pink-barred Sallow	Widespread.
2274	<i>Xanthia ictertia</i>	Sallow	Common.
2275	<i>Xanthia gilvago</i>	Dusky-lemon Sallow	Tayport.
2280	<i>Acronicta leporina</i>	Miller	Fife Regional Park, 1984, Dunfermline 2004.
2284	<i>Acronicta psi</i>	Grey Dagger	Local, larvae often on rowan.
2286	<i>Acronicta menyanthidis</i>	Light Knot-grass	Earlshill Muir.
2289	<i>Acronicta rumicis</i>	Knot Grass	Local.
2293	<i>Cryphia domestica</i>	Marbled Beauty	Local, larvae on lichen on walls.
2295	<i>Cryphia muralis</i>	Marbled Green	Once on Isle of May.
2298	<i>Amphipyra berbera</i>	Svensson's Copper Underwing	Dunfermline 2005.
2299	<i>Amphipyra tragopoginis</i>	Mouse Moth	Widespread, often indoors.
2300	<i>Mormo maura</i>	Old Lady	Local.
2302	<i>Rusina ferruginea</i>	Brown Rustic	Widespread.
2303	<i>Thaipophila matura</i>	Straw Underwing	Local.
2305	<i>Euplexia lucipara</i>	Small Angle Shades	Local.
2306	<i>Phlogophora meticulosa</i>	Angle Shades	Widespread.
2318	<i>Cosmia trapezina</i>	Dun-bar	Widespread.
2321	<i>Apamea monoglypha</i>	Dark Arches	Common.
2322	<i>Apamea lithoxylaea</i>	Light Arches	Widespread.
2324	<i>Apamea zeta assimilis</i>	Northern Arches	Cullaloe (1995) and Kincardine.
2325	<i>Apamea oblonga</i>	Crescent Striped	Torry Bay.
2326	<i>Apamea crenata</i>	Clouded-bordered Brindle	Common.
2329	<i>Apamea furva</i>	Confused	Local.
2330	<i>Apamea remissa</i>	Dusky Brocade	Widespread.
2331	<i>Apamea unanimitas</i>	Small Clouded Brindle	Anstruther, 1993, 2000-2004, and old record at Isle of May. Barnyards Marsh 2009.
2334	<i>Apamea sordens</i>	Rustic Shoulder-knot	Widespread.
2336	<i>Apamea ophiogramma</i>	Double Lobed	Tentsmuir, Anstruther, Barnyards Marsh 2009.
2337	<i>Oligia strigilis</i>	Marbled Minor	Widespread.
2338	<i>Oligia versicolor</i>	Rufous Minor	Widespread.
2339	<i>Oligia latruncula</i>	Tawny Marbled Minor	Local.
2340	<i>Oligia fasciuncula</i>	Middle-barred Minor	Widespread.
2341	<i>Mesoligia furuncula</i>	Cloaked Minor	Local.
2342	<i>Mesoligia literosa</i>	Rosy Minor	Local.
2343	<i>Mesapamea secalis</i>	Common Rustic	Widespread.
2343a	<i>Mesapamea didyma</i>	Lesser Common Rustic	Newburn, Torry Bay.
2345	<i>Photodes minima</i>	Small Dotted Buff	Widespread.
2348	<i>Chortodes elymi</i>	Lyme Grass	Tentsmuir. Previously recorded as <i>Photodes elymi</i> .
2350	<i>Chortodes pygmina</i>	Small Wainscot	Widespread. Previously recorded as <i>Photodes pygmina</i> .
2353	<i>Luperina testacea</i>	Flounced Rustic	Widespread.
2357	<i>Amphipoea lucens</i>	Large Ear	Widespread.
2359	<i>Amphipoea crinanensis</i>	Crinan Ear	Local.
2360	<i>Amphipoea oculea</i>	Ear Moth	Widespread.
2361	<i>Hydraecia micacea</i>	Rosy Rustic	Common.
2362	<i>Hydraecia petasitis</i>	Butterbur	Local.
2364	<i>Gortyna flavago</i>	Frosted Orange	Local.
2367	<i>Celaena haworthii</i>	Haworth's Minor	Local.
2368	<i>Celaena leucostigma</i>	Crescent	Tentsmuir, Torry Bay.
2369	<i>Nonagra typhae</i>	Bulrush Wainscot	Morton Lochs, Torry Bay, Dunfermline, Anstruther.
2375	<i>Rhizodra lutosa</i>	Large Wainscot	Local.
2381	<i>Hoplodrina alsines</i>	Uncertain	Local.
2382	<i>Hoplodrina blanda</i>	Rustic	Widespread.
2385	<i>Spodoptera exigua</i>	Small Mottled Willow	Anstruther 2006; a migrant.
2387	<i>Caradrina morpheus</i>	Mottled Rustic	Widespread.
2389	<i>Paradrina clavipalpis</i>	Pale Mottled Willow	Local. Previously recorded as <i>Caradrina clavipalpis</i> .
2391	<i>Chilodes maritimus</i>	Silky Wainscot	Torry Bay.
2394	<i>Stilbia anomala</i>	Anomalous	Tentsmuir.
2399	<i>Pyrrhia umbra</i>	Bordered Sallow	Local on coast.
2400	<i>Helicoverpa armigera</i>	Scarce Bordered Straw	Migrant - Guardbridge and Dunfermline 2006
2403	<i>Heliothis peltigera</i>	Bordered Straw	Migrant - Dunfermline 2006
2423	<i>Nycteola revayana</i>	Oak Nycteoline	Brunton, Balmerino.
2425	<i>Colocasia coryli</i>	Nut-tree Tussock	Widespread, larvae on birch.
2434	<i>Diachrysia chrysitis</i>	Burnished Brass	Common.
2437	<i>Polychrysia moneta</i>	Golden Plusia	Local.
2439	<i>Plusia festucae</i>	Gold Spot	Widespread.
2440	<i>Plusia putnami</i>	Lempke's Gold Spot	Tentsmuir, Anstruther.
2441	<i>Autographa gamma</i>	Silver Y	Common, frequent immigrant.
2442	<i>Autographa pulchrina</i>	Beautiful Golden Y	Common.
2443	<i>Autographa jota</i>	Plain Golden Y	Widespread.
2444	<i>Autographa bractea</i>	Gold Spangle	Local.
2447	<i>Syngrapha interrogationis</i>	Scarce Silver Y	Newburn.



2450	<i>Abrostola tripartita</i>	Spectacle	Torry Bay, Anstruther, Ladybank, Dunfermline.
2451	<i>Catocala fraxini</i>	Clifden Nonpareil	Occasional immigrant.
2462	<i>Callistege mi</i>	Mother Shipton	Local.
2469	<i>Scoliopteryx libatrix</i>	Herald	Widespread.
2474	<i>Rivula sericealis</i>	Straw Dot	Dunfermline.
2477	<i>Hypena proboscidalis</i>	Snout	Common.
2484	<i>Schrankia costaestrigalis</i>	Pinion-streaked Snout	Barnyards Marsh 2009.
2489	<i>Zanclognatha tarsipennalis</i>	Fan-foot	Local.
2492	<i>Herminia grisealis</i>	Small Fan-foot	Local.

---